

Sehr geehrte Damen und Herren,

wir erklären folgend die Zuordnung der Artikel zum beigefügten Sicherheitsdatenblatt.

Lieferant ist:  
**Stockmeier Chemie**

**Laufende Nummer aus Gefahrgutkataster:**  
**143**

Sprache: Englisch

Lieferantenartikelnummer	Movera Artikelnummer
1000925834000	9945470

Bad Waldsee, 8. Februar 2021

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

### SECTION 1: Identification of the substance/mixture and of the company undertaking

#### - 1.1 Product identifier

- Trade name Berliner Wohnwagen-Elixier

- Article number: 1000925834000

- 1.2 Relevant identified uses of the substance or mixture and uses advised against  
No further relevant information available.

- Application of the substance / the mixture *Cleaning agent / Cleaner*

#### - 1.3 Details of the supplier of the safety data sheet

##### - Manufacturer/Supplier:

Stockmeier Chemie GmbH & Co. KG

Am Stadtholz 37

D - 33609 Bielefeld

Tel.: +49/521/3037-0

##### - Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-162, 3037-311 or 3037-328

E-mail: [ehs-bielefeld@stockmeier.de](mailto:ehs-bielefeld@stockmeier.de)

#### - 1.4 Emergency telephone number:

National Poisons Information Service (NPIS) - Emergency call (healthcare professionals): (+44) 844 892 0111 - 0344 892 0111

### SECTION 2: Hazards identification

#### - 2.1 Classification of the substance or mixture

##### - Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

#### - 2.2 Label elements

##### - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

##### - Hazard pictograms



GHS05

##### - Signal word *Danger*

##### - Hazard-determining components of labelling:

*disodium metasilicate*

*Isotridecanol, ethoxylated*

##### - Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

##### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 1)

**P303+P361+P353 IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water [or shower].

**P305+P351+P338 IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310** Immediately call a POISON CENTER/doctor.

**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### - 3.2 Mixtures

- **Description:** Mixture of the substances listed below with harmless additions

#### - Dangerous components:

CAS: 69011-36-5 NLP: 500-241-6 Reg.nr.: 01-2119976362-32	Isotridecanol, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302	2.5-10%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	diethylene glycol monobutyl ether Eye Irrit. 2, H319	2.5-10%
CAS: 6834-92-0 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium metasilicate Met. Corr.1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	< 2.5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2, H319	< 2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

#### - Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

5 - 15 % non-ionic surfactants,

< 5 % anionic surfactants,

< 5 % amphoteric surfactants,

1,2-benzisothiazol-3(2H)-one,

2-methyl-2H-isothiazol-3-one,

Other Ingredients: silicates, solubilizers, water-miscible solvents and dyes.

### SECTION 4: First aid measures

#### - 4.1 Description of first aid measures

- **General advice:** Instantly remove any clothing soiled by the product.

- **After Inhalation** Supply fresh air; consult doctor in case of symptoms.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

- **After eye contact**

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

- **After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

(Contd. on page 3)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
See section 8.  
Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment and keep unprotected persons away.
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
Dilute with much water.  
If large amounts are released, the authorities must be informed.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep containers tightly sealed.  
Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage** Store in cool, dry conditions in well sealed containers.
- **Requirements to be met by storerooms and containers:**  
Observe official regulations on storage and handling of water hazardous substances
- **Information about storage in one common storage facility:** Not required.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 3)

**- 8.1 Control parameters****- Components with critical values that require monitoring at the workplace:****112-34-5 diethylene glycol monobutyl ether**

WEL	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm
	Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm

**- Additional Information:** The lists that were valid during the compilation were used as basis.**- 8.2 Exposure controls****- Personal protective equipment****- General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

**- Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

**- Protection of hands:** Protective gloves.**- Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:** Tightly sealed safety glasses.**- Body protection:** Standard protective working clothes

### SECTION 9: Physical and chemical properties

**- 9.1 Information on basic physical and chemical properties****- General information****- Appearance:**

Form: Fluid

Colour: Yellow

**- Smell:** Characteristic**- Odour threshold:** Not determined**- pH-value at 20 °C:** ca. 13**- Melting point/freezing point:** Not determined**- Initial boiling point and boiling range:** 100 °C**- Flash point:** Product is non-flammable nor potentially explosive**- Self-inflammability:** Product is not selfigniting.**- Explosive properties:** Product is not potentially explosive**- Vapour pressure at 20 °C:** 23 hPa**- Density at 20 °C** 1.04 g/cm<sup>3</sup>

(Contd. on page 5)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 4)

- <b>Evaporation rate</b>	Not determined
- <b>Solubility in / Miscibility with Water:</b>	Fully miscible
- <b>Partition coefficient: n-octanol/water:</b>	Not determined
- <b>Viscosity:</b>	
dynamic:	Not determined
kinematic:	Not determined
- <b>9.2 Other Information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability**  
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 6)

GB



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 5)

- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- The product contains no organic halogen compounds (AOX).
- The product contains no organic complexing agents, which are not biodegradable (DOC elimination > 80 % within 28 d)
- Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.
- **Recommendation**
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility.
- **Waste disposal key number:**
- Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.
- **Uncleaned packagings:** Disposal must be made according to official regulations.
- **Recommendation:**
- Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.
- Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>- <b>14.1 UN-Number</b></li> <li>- <b>ADR, IMDG, IATA</b></li> </ul>	UN3266
<ul style="list-style-type: none"> <li>- <b>14.2 UN proper shipping name</b></li> <li>- <b>ADR</b></li> <li>- <b>IMDG, IATA</b></li> </ul>	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)
<ul style="list-style-type: none"> <li>- <b>14.3 Transport hazard class(es)</b></li> <li>- <b>ADR</b></li> <li>- <b>Class</b></li> <li>- <b>Label</b></li> <li>- <b>IMDG, IATA</b></li> <li>- <b>Class</b></li> <li>- <b>Label</b></li> </ul>	8 (C5) Corrosive substances. Corrosive substances. 8  8 Corrosive substances. 8

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 6)

- 14.4 Packing group - ADR, IMDG, IATA	II
- 14.5 Environmental hazards: - Marine pollutant:	Not applicable. No
- 14.6 Special precautions for user - Kemler Number: - EMS Number: - Segregation groups - Stowage Category - Stowage Code - Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis B SW2 Clear of living quarters. SG35 Stow "separated from" SGG1-acids
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- Transport category - Tunnel restriction code	2 E
- UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, II

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008  
The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS05

- Signal word **Danger**
- Hazard-determining components of labelling:  
disodium metasilicate  
Isotridecanol, ethoxylated
- Hazard statements  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

**- Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P260 Do not breathe mist/vapours/spray.

(Contd. on page 8)

GB



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 27.01.2020

Version number 106

Revision: 27.01.2020

Trade name **Berliner Wohnwagen-Elixier**

(Contd. of page 7)

- P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
- P301+P330+P331 *IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.*
- P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
- P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P310 *Immediately call a POISON CENTER/doctor.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 55
- **National regulations**
- **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.
- **VOC:**  
< 0.1 % volatile organic compounds (Council Directive 2010/75/EC).  
3.1 % volatile organic compounds (Swiss Ordinance on the Incentive Tax on Volatile Organic Compounds).
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Application:** Directions for use: please refer to the Technical Information Sheet
- **Relevant phrases**  
Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.  
H290 *May be corrosive to metals.*  
H302 *Harmful if swallowed.*  
H314 *Causes severe skin burns and eye damage.*  
H318 *Causes serious eye damage.*  
H319 *Causes serious eye irritation.*  
H335 *May cause respiratory irritation.*
- **Department issuing data specification sheet:** see item 1: Informing department
- **Abbreviations and acronyms:**  
RPE: Respiratory Protective Equipment  
RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- \* **Data compared to the previous version altered.**